

AccountTeams Object v5

Last Modified on 11/14/2017 11:17 am EST |

The following API calls are currently available for the AccountTeams object:

- GET LIST
- GET ACCOUNTTEAMS
- CREATE ACCOUNTTEAMS
- UPDATE ACCOUNTTEAMS
- DELETE ACCOUNTTEAMS

GET LIST - Get a list of all teams in your account.

<https://restapi.surveygizmo.com/v5/accountteams>

Note: Get requests will cache for 60 seconds. If you make repeated API get requests that are identical, the return will be cached and will thus return identical results.

| Parameters | Example | Required |
|----------------------------|--|----------|
| Authentication Credentials | api_token=abcd12345&api_token_secret=abcd12345 | True |
| showdeleted | true | False |

Response Example (.debug format):

```
Array
(
  [result_ok] => 1
  [total_count] => 3
  [page] => 1
  [total_pages] => 1
  [results_per_page] => 3
  [data] => Array
    (
      [0] => Array
        (
          [id] => 389746
          [team_name] => Everyone
          [description] =>
          [default_role] =>
          [status] => Active
        )

      [1] => Array
        (
          [id] => 389747
          [team_name] => Team 1
          [description] =>
          [default_role] =>
          [status] => Active
        )

      [2] => Array
        (
          [id] => 453837
          [team_name] => Team 2
          [description] =>
          [default_role] =>
          [status] => Active
        )
    )
)
```

GET ACCOUNTTEAMS - Get information about a specific team in your account.

<https://restapi.surveygizmo.com/v5/accountteams/389747>

Note: Get requests will cache for 60 seconds. If you make repeated API get requests that are identical, the return will be cached and will thus return identical results.

| Parameters | Example | Required |
|----------------------------|--|----------|
| Authentication Credentials | api_token=abcd12345&api_token_secret=abcd12345 | True |

Response Example (.debug format):

```
Array
(
  [result_ok] => 1
  [count] => 1
  [page] => 1
  [results_per_page] => 1
  [data] => Array
  (
    [id] => 235681
    [team_name] => Reporting
    [description] => members have access to reporting only
    [default_role] => 0
    [status] => Active
  )
)
```

CREATE ACCOUNTTEAM - Create a new team in your account.

https://restapi.surveymzmo.com/v5/accountteams?_method=PUT&team_name=team3

| Parameters | Value/Example | Required |
|----------------------------|--|----------|
| Authentication Credentials | api_token=abcd12345&api_token_secret=abcd12345 | True |
| team_name | Team 3 | True |
| description | This team will administer marketing surveys | False |

default_role ID of the role (2-6 for standard roles) False

Response Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
    (
      [id] => 498288
      [team_name] => team3
      [description] =>
      [default_role] =>
      [status] => Active
    )
)
```

UPDATE ACCOUNTTEAMS - Update team information.

https://restapi.surveymizmo.com/v5/accountteams/123456?_method=POST

| Parameters | Value/Example | Required |
|----------------------------|--|----------|
| Authentication Credentials | api_token=abcd12345&api_token_secret=abcd12345 | True |
| team_name | Team 3 | False |
| description | This team will administer marketing surveys | False |
| default_role | ID of the role (2-6 for standard roles) | False |

Example Response (.debug format)

```
Array
(
  [result_ok] => 1
  [data] => Array
  (
    [id] => 498288
    [team_name] => Team 5
    [description] =>
    [default_role] => 5167
    [status] => Active
  )
)
```

DELETE ACCOUNTTEAMS - Delete specified team.

https://restapi.surveygizmo.com/v5/accountteams/123456?_method=DELETE

| Parameters | Value/Example | Required |
|--|--|----------|
| Authentication Credentials | api_token=abcd12345&api_token_secret=abcd12345 | True |
| reassign* | 123456 (Team ID) | False |

*Use the **reassign** parameter to assign surveys to another team in your account when deleting a team. If no team is specified as the reassign team, SurveyGizmo will search for an available team to place the surveys into.

Response Example (.debug format):

Array

```
(  
  [result_ok] = 1  
  [data] => Array  
  (  
    [id] => 236114  
    [team_name] => NewTeamName  
    [description] =>  
    [default_role] =>  
    [status] => Deleted  
  )  
)
```